




Descriptions						
Product code	CC0180VR					
Product description		ATTA Table 160(220)x90 white, porcelain Vulcano Roca Extendable dining table with epoxy painted steel structure and top in high-tech				
		•				•
	porcelain slab with glass support. Vulcano Roca finish. Maximum lenght 220 cm.					
Origin country	CN					
Dimensions						
Height x Width x Depth (cm)	76 cm	x	160 - 220 cm	х	90 cm	
Product weight (Kg)	85 Kg 9					
Top thickness (mm) Leaf sizes	9 60 X 90					
Technical drawings						
						\bigcirc



Use (domestic/contract/office)Domestic+Indoor (yes/no)YesAlfresco (yes/no)NoOutdoor (yes/no)NoExtendible (yes/no)YesAdjustable height (yes/no)NoFoldable (yes/no)NoSeating capacity8Seating capacity fully extended10Max. load (kg)60Top edge typeFlatScratch and wear resistance (Mohs scale)Hardness (Rockwell method)	Features	
Alfresco (yes/no)NoOutdoor (yes/no)NoExtendible (yes/no)YesAdjustable height (yes/no)NoFoldable (yes/no)NoSeating capacity8Seating capacity fully extended10Max. load (kg)60Top edge typeFlatScratch and wear resistance (Mohs scale)	Use (domestic/contract/office)	Domestic+
Outdoor (yes/no)NoExtendible (yes/no)YesAdjustable height (yes/no)NoFoldable (yes/no)NoSeating capacity8Seating capacity fully extended10Max. load (kg)60Top edge typeFlatScratch and wear resistance (Mohs scale)	Indoor (yes/no)	Yes
Extendible (yes/no)YesAdjustable height (yes/no)NoFoldable (yes/no)NoSeating capacity8Seating capacity fully extended10Max. load (kg)60Top edge typeFlatScratch and wear resistance (Mohs scale)	Alfresco (yes/no)	No
Adjustable height (yes/no)NoFoldable (yes/no)NoSeating capacity8Seating capacity fully extended10Max. load (kg)60Top edge typeFlatScratch and wear resistance (Mohs scale)10	Outdoor (yes/no)	No
Foldable (yes/no)NoSeating capacity8Seating capacity fully extended10Max. load (kg)60Top edge typeFlatScratch and wear resistance (Mohs scale)	Extendible (yes/no)	Yes
Seating capacity8Seating capacity fully extended10Max. load (kg)60Top edge typeFlatScratch and wear resistance (Mohs scale)5	Adjustable height (yes/no)	No
Seating capacity fully extended 10 Max. load (kg) 60 Top edge type Flat Scratch and wear resistance (Mohs scale) 50	Foldable (yes/no)	No
Max. load (kg)60Top edge typeFlatScratch and wear resistance (Mohs scale)Flat	Seating capacity	8
Top edge type Flat Scratch and wear resistance (Mohs scale)	Seating capacity fully extended	10
Scratch and wear resistance (Mohs scale)	Max. load (kg)	60
	Top edge type	Flat
Hardness (Rockwell method)	Scratch and wear resistance (Mohs scale)	
	Hardness (Rockwell method)	

Extension mechanism type	Butterfly
Number of leaves Stored inside (yes/no)	1 Yes
Adjustable feet (yes/no)	No
Materials	
Main material	Ceramic
Top material	Ceramic, Glass
Top finishing Leaf material	N/A MDF (Medium density fibers)
Leaf finishing	Lacquered in PU (Polyurethane)
Legs material	Steel
Legs finishing Feet pad type	Powder coated painted Plastic pad
Assembly Unpacking time (min)	3
Assembly required (yes/no)	Yes
Difficulty of assembly	Easy
People required Assembly time (min)	2 30
Assembly suggestions	Assemble the frame first and then use the suckers to fix the top. Check and
	classify all fittings before starting the assembly. Assemble on a soft surface.
Assembly instructions	QQ
	A2 BH CH DH EH
	F [] B Fre
	4 ATT2 ATT2 3
Care & Warranties	
General warnings	Do not place near direct sources of heat. Keep away from direct solar light. Do
	not use abrasive products like acetones, bleaches, solvents, etc. Sharp elements
	can scratch the product surface.
Specific use and care instructions	Clean the product with a wat slath democrand in a mild cleaner and dry
specific use and care instructions	Clean the product with a wet cloth dampened in a mild cleaner and dry immediately. Dust it with a duster.
Specific use and care instructions for outdoor	N/A
Years of guarantee Made according to	2 EN 12521:2010 for household use tables
FSC certified (yes/no)	N/A
PEFC certified (yes/no)	N/A
FLEGT license (yes/no) Variation type	N/A Colour tone, Light and environment conditions may distort the color perception
Purposeful distressing type	No distressing
	U U

Ceramic is made of: quartz, feldspar, clays and natural minerals. Waterproof. Resistant to any kind of chemical cleaning agent. Resistant to high temperatures. Resistant to wear and tear. UV resistant						
0,37973 3	8€/	94,5				
ATTA Fr LEGS 12		(220)x90 106	epoxy w x	88		
0,112	/	17,5	/	15		
ATT2R05 - 2 ATTA Frame 160(220)x90 epoxy white FRAME 12 x 152 x 75 0.137 / 34 / 30						
	, 0K15 - 3					
CERAMICO Atta Top 160x90 porcelain vulcano Roca TOP						
7 0,131	x /	170 43	x /	110 40		
	X /		x /			
	Resistan Resistan 0,37973 3 ATT2R0 ATT4 Fr LEGS 12 0,112 ATT2R0 ATT4 Fr FRAME 12 0,137 ATT416 CERAM TOP 7	Resistant to any Resistant to wear 0,37973(/ 3 ATT2R05 - 1 ATTA Frame 1600 LEGS 12 x 0,112 / ATT2R05 - 2 ATTA Frame 1600 FRAME 12 x 0,137 / ATT4160K15 - 3 CERAMICO Atta TOP 7 x 0,131 /	Resistant to any kind of ch Resistant to wear and teal 0,37973($/$ 94,5 3 ATT2R05 - 1 ATTA Frame 160(220)x90 LEGS 12 x 106 0,112 / 17,5 ATT2R05 - 2 ATTA Frame 160(220)x90 FRAME 12 x 152 0,137 / 34 ATT4160K15 - 3 CERAMICO Atta Top 160x9 TOP 7 x 170 0,131 / 43	Resistant to any kind of chemical cl Resistant to wear and tear. UV resistant to wear and te		