

TRIXIE

Descriptions

Product code Product description AA6752R01 Trixie vitrine 70 x 143 cm

х

70 cm

CN

143 cm

46,8 Kg

Steel is the hottest element in your home and you there is no reason you will not love it! The industrial design with a crystal front make this vitrine the perfectly original trendy touch to your space.

х

41 cm

Origin country

Dimensions Height x Width x Depth (cm)



Technical drawings



Features

| Use (domestic/contract/office) | Domestic |
|---|-------------|
| Indoor (yes/no) | Yes |
| Alfresco (yes/no) | No |
| Outdoor (yes/no) | No |
| Max. load (kg) | 50 |
| Adjustable height (yes/no) | No |
| Adjustable height mechanism description | N/A |
| Top tilt angle range | |
| Feet pad type | Plastic pad |
| Adjustable feet (yes/no) | Yes |
| Doors included (yes/no) | Yes |
| Number of doors | 2 |
| Door opening system | Magnet lock |
| Door soft-close function (yes/no) | No |
| Drawers included (yes/no) | No |
| Number of drawers | |

| Drawer opening system | |
|---|-----|
| Runner guide mechanism | |
| Runner soft-close function (yes/no) | |
| Drawers max. load (kg) | |
| Shelves included (yes/no) | Yes |
| Number of shelves | 4 |
| Adjustable shelves (yes/no) | No |
| Shelves max. load (kg) | 30 |
| Wall brackets antitilting included (yes/no) | Yes |

Materials

| Yes |
|---|
| Steel |
| Powder coated painted, Matt |
| Tempered glass, Steel |
| |
| |
| Steel |
| |
| 2 |
| Yes |
| Easy |
| 2 |
| 10 |
| Put the frame upside down and screw the legs. Check and classify all fittings |
| before starting the assembly. Assemble on a soft surface. |
| |

Assembly instructions

| Q | Q |
|-----------|---|
| | e e e e e e e e e e e e e e e e e e e |
| | |
| 5 - 6 - 7 | 12205 2x100 3x100 4x100 5x100 2x100 7x100 5x100 7x100 7x100 4x100 7x100 7x100 5x100 0x00 0x00 0x00 0x00 0x00 5x100 0x00 0x00 0x00 0x00 0x00 0x00 5x100 0x00 0x00 0x00 0x00 0x00 0x00 0x00 |
| 4 AA6752F | |

Care & Warranties

| cure & wurrunnes | |
|--|---|
| General warnings | Do not place near direct sources of heat. Keep away from direct solar light. Do not use abrasive products like acetones, bleaches, solvents, etc. Sharp elements can scratch the product surface. |
| Specific use and care instructions | Clean the product with a wet cloth dampened in a mild cleaner and dry immediately. Dust it with a duster. |
| Specific use and care instructions for outdoor | |
| Years of guarantee | 2 |
| Made according to | |
| FSC certified (yes/no) | N/A |
| PEFC certified (yes/no) | N/A |
| FLEGT license (yes/no) | N/A |

| Variation type Purposeful distressing type Additional information | No natural variation, Light and environment conditions may distort the color No distressing Anti-tilt fittings included | | | | | |
|--|---|---------------------------------|-----------------------|--------|------------|--|
| Packaging | | | | | | |
| Units per lot Cbm (m3) / Gross weight (Kg) № of boxes | 0,586 2 | / | 55,1 | | | |
| Box 1 Description Description box Height x Width x Depth (cm) Cbm (m3) / Gross weight (Kg) / Net weight (Kg) | | trine 70 x T FRAME x / | 143 cm 131 29,8 | x / | 46 25,5 | |
| Box 2 Description Description box Height x Width x Depth (cm) Cbm (m3) / Gross weight (Kg) / Net weight (Kg) | DOORS 19 | trine 70 x x / | 143 cm 140 25,3 | x / | 48 21,3 | |
| Box 3 Description Description box Height x Width x Depth (cm) Cbm (m3) / Gross weight (Kg) / Net weight (Kg) | | x / | | x / | | |
| Box 4 Description Description box Height x Width x Depth (cm) Cbm (m3) / Gross weight (Kg) / Net weight (Kg) | | x / | | x / | | |
| Box 5 Description Description box Height x Width x Depth (cm) Cbm (m3) / Gross weight (Kg) / Net weight (Kg) | | x / | | x / | | |