

HEST

Descriptions	
Product code Product description	CC1149PK03 HEST Light grey chair The Hest chair, with a poplar plywood frame, has an upholstered back, seat and arms in light grey. This piece is inspired by mid-century design and is the ideal chair for your dining room or leisure chair for your office. You can enjoy it in both spa
Origin country	CN
Dimensions Height x Width x Depth (cm) Product weight (kg) Seat height (cm) Seat width (cm) Seat depth (cm) Armrest height (cm) Armrest width (cm) Backrest height (cm)	81 cm x 51 cm x 58 cm 6 Kg 47 41 40 42
Technical drawings	45 cm $45 cm$ $42 cm$ $51 cm$ $42 cm$ $43 cm$ $48 cm$ $48 cm$
Features	Domestic
Use (domestic/contract/office)	Domestic

reutures	
Use (domestic/contract/office)	Domestic
Indoor (yes/no)	Yes
Alfresco (yes/no)	No
Outdoor (yes/no)	No
Stackable (yes/no)	No
Stacks up to	
Max. load (kg)	130
Adjustable height (yes/no)	No
Adjustable height mechanism description	N/A

	No
Foldable (yes/no) Swivel (yes/no)	No
Reclining (yes/no)	No
Armrest included (yes/no)	No
Padded (yes/no)	Yes
Footrest included (yes/no)	No
Fabric durability resistance (Martindale cycles)	>20.000 No
Water repellent (yes/no) Stain resistant (yes/no)	Yes
Fire resistant (yes/no)	No
UV resistance level (1-5)	
Removable chair cover (yes/no)	No
Removable cover parts description	N/A
Adjustable feet (yes/no)	No
Castors information	N/A
Cushion included (yes/no) Cushion removable cover (yes/no)	No N/A
Materials	
Main material	Fabric
Frame construction	Steel
Main finishing	Upholstered
Seat material details	Fabric, Foam, Low emissions Plywood E0 class
Backrest material details	Fabric, Foam, Low emissions Plywood E0 class
Armrest material details	N/A
Fabric type & specifications	Chenille
Fabric composition	100% Polyester
Fabric grammage (g/m2) Upholstery fill material	280 Foam
Foam density (kg/m3)	24
Legs material	Steel
Legs finishing	Powder coated painted
Feet pad type	Plastic pad
Cushion fabric type	N/A
Cushion fabric composition	
Cushion grammage (g/m2)	N/A
Cushion fill material	N/A
Cushion fill material Cushion thickness (cm)	N/A
Cushion fill material Cushion thickness (cm) Assembly	
Cushion fill material Cushion thickness (cm) Assembly Unpacking time (min)	5
Cushion fill material Cushion thickness (cm) Assembly Unpacking time (min) Assembly required (yes/no)	5 Yes
Cushion fill material Cushion thickness (cm) Assembly Unpacking time (min)	5
Cushion fill material Cushion thickness (cm) Assembly Unpacking time (min) Assembly required (yes/no) Difficulty of assembly	5 Yes Easy
Cushion fill material Cushion thickness (cm) Assembly Unpacking time (min) Assembly required (yes/no) Difficulty of assembly People required	5 Yes Easy 1 10 Turn the seat upside down and tighten the screws. Check and classify all fittings
Cushion fill material Cushion thickness (cm) Assembly Unpacking time (min) Assembly required (yes/no) Difficulty of assembly People required Assembly time (min)	5 Yes Easy 1 10
Cushion fill material Cushion thickness (cm) Assembly Unpacking time (min) Assembly required (yes/no) Difficulty of assembly People required Assembly time (min)	5 Yes Easy 1 10 Turn the seat upside down and tighten the screws. Check and classify all fittings
Cushion fill material Cushion thickness (cm) Assembly Unpacking time (min) Assembly required (yes/no) Difficulty of assembly People required Assembly time (min)	5 Yes Easy 1 10 Turn the seat upside down and tighten the screws. Check and classify all fittings
Cushion fill material Cushion thickness (cm) Assembly Unpacking time (min) Assembly required (yes/no) Difficulty of assembly People required Assembly time (min) Assembly suggestions	5 Yes Easy 1 10 Turn the seat upside down and tighten the screws. Check and classify all fittings before starting the assembly. Assemble on a soft surface.
Cushion fill material Cushion thickness (cm) Assembly Unpacking time (min) Assembly required (yes/no) Difficulty of assembly People required Assembly time (min)	5 Yes Easy 1 10 Turn the seat upside down and tighten the screws. Check and classify all fittings
Cushion fill material Cushion thickness (cm) Assembly Unpacking time (min) Assembly required (yes/no) Difficulty of assembly People required Assembly time (min) Assembly suggestions	5 Yes Easy 1 10 Turn the seat upside down and tighten the screws. Check and classify all fittings before starting the assembly. Assemble on a soft surface.
Cushion fill material Cushion thickness (cm) Assembly Unpacking time (min) Assembly required (yes/no) Difficulty of assembly People required Assembly time (min) Assembly suggestions	5 Yes Easy 1 10 Turn the seat upside down and tighten the screws. Check and classify all fittings before starting the assembly. Assemble on a soft surface.
Cushion fill material Cushion thickness (cm) Assembly Unpacking time (min) Assembly required (yes/no) Difficulty of assembly People required Assembly time (min) Assembly suggestions	5 Yes Easy 1 10 Turn the seat upside down and tighten the screws. Check and classify all fittings before starting the assembly. Assemble on a soft surface.
Cushion fill material Cushion thickness (cm) Assembly Unpacking time (min) Assembly required (yes/no) Difficulty of assembly People required Assembly time (min) Assembly suggestions	5 Yes Easy 1 10 Turn the seat upside down and tighten the screws. Check and classify all fittings before starting the assembly. Assemble on a soft surface.
Cushion fill material Cushion thickness (cm) Assembly Unpacking time (min) Assembly required (yes/no) Difficulty of assembly People required Assembly time (min) Assembly suggestions	5 Yes Easy 1 10 Turn the seat upside down and tighten the screws. Check and classify all fittings before starting the assembly. Assemble on a soft surface.
Cushion fill material Cushion thickness (cm) Assembly Unpacking time (min) Assembly required (yes/no) Difficulty of assembly People required Assembly time (min) Assembly suggestions	5 Yes Easy 1 10 Turn the seat upside down and tighten the screws. Check and classify all fittings before starting the assembly. Assemble on a soft surface.
Cushion fill material Cushion thickness (cm) Assembly Unpacking time (min) Assembly required (yes/no) Difficulty of assembly People required Assembly time (min) Assembly suggestions	5 Yes Easy 1 10 Turn the seat upside down and tighten the screws. Check and classify all fittings before starting the assembly. Assemble on a soft surface.
Cushion fill material Cushion thickness (cm) Assembly Unpacking time (min) Assembly required (yes/no) Difficulty of assembly People required Assembly time (min) Assembly suggestions	5 Yes Easy 1 10 Turn the seat upside down and tighten the screws. Check and classify all fittings before starting the assembly. Assemble on a soft surface.
Cushion fill material Cushion thickness (cm) Assembly Unpacking time (min) Assembly required (yes/no) Difficulty of assembly People required Assembly time (min) Assembly suggestions	5 Yes Easy 1 10 Turn the seat upside down and tighten the screws. Check and classify all fittings before starting the assembly. Assemble on a soft surface.
Cushion fill material Cushion thickness (cm) Assembly Unpacking time (min) Assembly required (yes/no) Difficulty of assembly People required Assembly time (min) Assembly suggestions	5 Yes Easy 1 10 Turn the seat upside down and tighten the screws. Check and classify all fittings before starting the assembly. Assemble on a soft surface.
Cushion fill material Cushion thickness (cm) Assembly Unpacking time (min) Assembly required (yes/no) Difficulty of assembly People required Assembly time (min) Assembly suggestions	5 Yes Easy 1 10 Turn the seat upside down and tighten the screws. Check and classify all fittings before starting the assembly. Assemble on a soft surface.
Cushion fill material Cushion thickness (cm) Assembly Unpacking time (min) Assembly required (yes/no) Difficulty of assembly People required Assembly time (min) Assembly suggestions	5 Yes Easy 1 10 Turn the seat upside down and tighten the screws. Check and classify all fittings before starting the assembly. Assemble on a soft surface.
Cushion fill material Cushion thickness (cm) Assembly Unpacking time (min) Assembly required (yes/no) Difficulty of assembly People required Assembly time (min) Assembly suggestions	5 Yes Easy 1 10 Turn the seat upside down and tighten the screws. Check and classify all fittings before starting the assembly. Assemble on a soft surface.

Care & Warranties	
General warnings	Do not place near direct sources of heat. Keep away from direct solar light. Do not use abrasive products like acetones, bleaches, solvents, etc. Sharp elements can scratch the product surface.
Specific use and care instructions	Clean the product with a wet cloth dampened in a mild cleaner and dry immediately. Dust it with a duster.
Specific use and care instructions for outdoor	N/A
Years of guarantee Made according to FSC certified (yes/no) PEFC certified (yes/no) FLEGT license (yes/no) Variation type Purposeful distressing type Additional information	2 EN 12520:2015+EN1022:2018 for household use seats No No N/A No natural variation, Light and environment conditions may distort the color No distressing
- / -:	
<i>Packaging</i> Units per lot Cbm (m3) / Gross weight (Kg) № of boxes	0,1015 / 7.975 1
Box 1 Description Description box Height x Width x Depth (cm) Cbm (m3) / Gross weight (Kg) / Net weight (Kg)	1 HEST Light grey chair FULL ITEM 54 x 66 x 57 0,102 / 7.975 / 6
Box 2 Description Description box Height x Width x Depth (cm) Cbm (m3) / Gross weight (Kg) / Net weight (Kg)	x x / /
Box 3 Description Description box Height x Width x Depth (cm) Cbm (m3) / Gross weight (Kg) / Net weight (Kg)	x x / /