

NILSON

Descriptions

2000	
Product code	CC0276J81
Product description	NILSON Barstool metal wood effect fabric mustard
	This Nolite stool is a simple design comprised of rounded shapes. Upholstered in
	mustard, it features two buttons that give it style and elegance. In addition, it
	rests on a structure of steel legs with beech wood effect. Are you worried about
	the pa
Origin country	CN

Dimensions

Dimensions						
Height x Width x Depth (cm)	101 cm	х	47 cm	Х	48 cm	
Product weight (kg)	5,4 Kg					
Seat height (cm)	75					
Seat width (cm)	41					
Seat depth (cm)	35					
Armrest height (cm)						
Armrest width (cm)						
Backrest height (cm)	26					

Technical drawings



Features

Use (domestic/contract/office)	Domestic
Indoor (yes/no)	Yes
Alfresco (yes/no)	No
Outdoor (yes/no)	No
Stackable (yes/no)	No
Stacks up to	
Max. load (kg)	130
Adjustable height (yes/no)	No
Adjustable height mechanism description	N/A
Aujustable fielgift filectianism description	IVA

Foldable (yes/no) No Swivel (yes/no) Nο Reclining (yes/no) No Armrest included (yes/no) No Padded (yes/no) Yes Footrest included (yes/no) Yes >20.000 Fabric durability resistance (Martindale cycles) Water repellent (yes/no) No Stain resistant (yes/no) No Fire resistant (yes/no) No UV resistance level (1-5) Removable chair cover (yes/no) No Removable cover parts description N/A Adjustable feet (yes/no) Yes **Castors information** N/A Cushion included (yes/no) No Cushion removable cover (yes/no) N/A

Materials

Main material Fabric Frame construction Steel

Main finishing Upholstered

Seat material details Fabric, Foam, Low emissions Plywood EO class

Backrest material details Fabric, Foam, Low emissions Plywood E0 class

Armrest material details N/A

Fabric type & specifications Plain fabric
Fabric composition 100% Polyester

Fabric grammage (g/m2) 289
Upholstery fill material Foam
Foam density (kg/m3) 23
Legs material Steel
Legs finishing Heat transfer
Feet pad type Plastic pad
Cushion fabric type N/A

Cushion fabric composition Cushion grammage (g/m2)

Cushion fill material N/A

Cushion thickness (cm)


Assembly

Unpacking time (min) 5
Assembly required (yes/no) Yes
Difficulty of assembly Easy
People required 1
Assembly time (min) 10

Assembly suggestions Join the legs to the frame and then screw them to the seat. Check and classify all

fittings before starting the assembly. Assemble on a soft surface.

Assembly instructions





Care & Warranties						
General warnings	Do not place near direct sources of heat. Keep away from direct solar light. Do not use abrasive products like acetones, bleaches, solvents, etc. Sharp elements can scratch the product surface.					
Specific use and care instructions	Clean brushing it with a soft brush or with a dry cloth. If some liquid is spilt over the product, clean it as fast as possible to avoid making stains. Dust it with a duster.					
Specific use and care instructions for outdoor	N/A					
Years of guarantee Made according to FSC certified (yes/no) PEFC certified (yes/no) FLEGT license (yes/no) Variation type Purposeful distressing type Additional information	N/A No N/A	wood gra			ousehold use seats one, Light and environment conditions may	
Packaging						
Units per lot Cbm (m3) / Gross weight (Kg) Nº of boxes	0,047	/	6,2			
Box 1 Description Description box Height x Width x Depth (cm)	1 NILSON Barstool metal wood effect fabric mustard SEAT + FITTINGS 44 x 56 x 35					
Cbm (m3) / Gross weight (Kg) / Net weight (Kg)		x /	4,2	x /	35 3,7	
Box 2 Description Description box	NILSON Barstool metal wood effect fabric mustard LEGS					
Height x Width x Depth (cm) Cbm (m3) / Gross weight (Kg) / Net weight (Kg)	14 0,004	x /	77 2	x /	7 1,7	
Box 3 Description Description box Height x Width x Depth (cm) Cbm (m3) / Gross weight (Kg) / Net weight (Kg)		x /		x /		