

## GREENHILL

| Descriptions                                       |                            |              |       |                                  |                                  |
|--|----------------------------|--------------|-------|----------------------------------|----------------------------------|
| Product code<br>Product description                | Coffee table<br>coated met | e with top a |       | glass black cl<br>ppered glass ( | ear<br>of 8 mm thickness. Powder |
| Origin country                                     | CN                         |              |       |                                  |                                  |
| Dimensions   |                            |              |       |                                  |                                  |
| Height x Width x Depth (cm)<br>Product weight (Kg) | 35 cm<br>28 Kg             | х            | 80 cm | х                                | 80 cm                            |
| Technical drawings                                 | 35 cm                      | 80 0         |       | 80 cm                            |                                  |
| <i>Features</i><br>Use (domestic/contract/office)  | Domestic                   |              |       |                                  |                                  |
| Indoor (yes/no)<br>Alfresco (yes/no)               | Yes                        |              |       |                                  |                                  |

| Use (domestic/contract/office)          | Domestic    |
|---|-------------|
| Indoor (yes/no)                         | Yes         |
| Alfresco (yes/no)                       | No          |
| Outdoor (yes/no)                        | No          |
| Max. load (kg)                          | 30          |
| Adjustable height (yes/no)              | No          |
| Adjustable height mechanism description | N/A         |
| Top tilt angle range                    |             |
| Feet pad type                           | Plastic pad |
| Adjustable feet (yes/no)                | No          |
| Doors included (yes/no)                 | No          |
| Number of doors                         |             |
| Door opening system                     | N/A         |
| Door soft-close function (yes/no)       | N/A         |
| Drawers included (yes/no)               | No          |
| Number of drawers                       |             |
|   |             |

| Drawer opening system N/A<br>Runner guide mechanism V/A<br>Runner soft-close function (ves/no) V/A<br>Parwers max. load (kg)<br>Shelves included (ves/no) Ves<br>Adjustable shelves<br>Adjustable shelves<br>Adjustable shelves (ves/no) No<br>Material description N/A<br>Back processed (ves/no) Ves<br>Legs material Shelves material N/A<br>Runner material of the drawers N/A<br>Runner material of the drawers N/A<br>Runner material of the drawers N/A<br>Assembly instructions Assemble on a soft protecting surface.<br>Assembly instructions Assemble on a soft protecting surface.<br>Assembly instructions Descendent of the drawers of the drawer of the drawers of the drawers, bleaches, solvents, etc. Share elements crawers of the drawers of the dr   |  |  |                             |
|--|--|--|-----------------------------|
| Material description<br>Finishing description<br>Back processed (yes/no)<br>Legs material<br>Legs finishing<br>Dor material<br>Dor material<br>N/A<br>Runner material<br>Runner fill<br>Runner material<br>Runner materi | Runner guide mechanism<br>Runner soft-close function (yes/no)<br>Drawers max. load (kg)<br>Shelves included (yes/no)<br>Number of shelves<br>Adjustable shelves (yes/no)<br>Shelves max. load (kg) | N/A<br>N/A<br>Yes<br>No                                    |                             |
| Finishing description N/A<br>Back processed (vs/no) Ves<br>Legs material Steel<br>Legs inishing Powder coated painted Door material N/A<br>Dorawer material N/A<br>Drawer material Of the drawers N/A<br>Shelves material N/A<br>Assembly required (vs/no) Ves<br>Assembly required (vs/no) 15<br>Assembly suggestions Assemble on a soft protecting surface.  |  |  |                             |
| Unpacking time (min)<br>Assembly required (ves/no)<br>Difficuty of assembly<br>People required<br>Assembly time (min)<br>Assembly suggestions<br>Assemble on a soft protecting surface.<br>Assembly instructions<br>Assembly instructions<br>$ \begin{array}{ccccccccccccccccccccccccccccccccccc$  | Finishing description<br>Back processed (yes/no)<br>Legs material<br>Legs finishing<br>Door material<br>Drawer material<br>Runner material of the drawers  | Yes<br>Steel<br>Powder coated painted<br>N/A<br>N/A<br>N/A |                             |
| Assembly required (yes/no)<br>People required<br>Assembly time (min)<br>Assembly suggestions<br>Assembly instructions<br>Assembly instructions<br>Assembly instructions<br>Assembly instructions<br>Care & Warranties<br>General warnings<br>Do not place near direct sources of heat. Keep away from direct solar light. Do<br>not use abrasive products like acetones, bleaches, solvents, etc. Sharp elements<br>can scratch the product surface.<br>Specific use and care instructions<br>Clean the product with a wet cloth dampened in a mild cleaner and dry<br>immediately. Dust it with a duster.   |  |  |                             |
| General warnings       Do not place near direct sources of heat. Keep away from direct solar light. Do not use abrasive products like acetones, bleaches, solvents, etc. Sharp elements can scratch the product surface.         Specific use and care instructions       Clean the product with a wet cloth dampened in a mild cleaner and dry immediately. Dust it with a duster.  | Assembly required (yes/no)<br>Difficulty of assembly<br>People required<br>Assembly time (min)   | Yes<br>Easy<br>2<br>15                                     |                             |
| General warnings       Do not place near direct sources of heat. Keep away from direct solar light. Do not use abrasive products like acetones, bleaches, solvents, etc. Sharp elements can scratch the product surface.         Specific use and care instructions       Clean the product with a wet cloth dampened in a mild cleaner and dry immediately. Dust it with a duster.  | Assembly instructions  | Q  | Q                           |
| General warningsDo not place near direct sources of heat. Keep away from direct solar light. Do<br>not use abrasive products like acetones, bleaches, solvents, etc. Sharp elements<br>can scratch the product surface.Specific use and care instructionsClean the product with a wet cloth dampened in a mild cleaner and dry<br>immediately. Dust it with a duster.  |  |  | ANS BAS CAT                 |
| Specific use and care instructionsClean the product with a wet cloth dampened in a mild cleaner and dry<br>immediately. Dust it with a duster.   |  |  |                             |
| immediately. Dust it with a duster.  | General warnings   | not use abrasive products like acetones, blea              |                             |
| Specific use and care instructions for outdoor   | Specific use and care instructions   |  | d in a mild cleaner and dry |
|  | Specific use and care instructions for outdoor   |  |                             |
| Years of guarantee 2   | Years of guarantee   | 2  |                             |
|  |  | N/A  |                             |
| Made according to  | PEFC certified (yes/no)  | N/A<br>N/A   |                             |
| Made according to<br>FSC certified (yes/no) N/A  | FLEGT license (yes/no)   | N/A  |                             |

| Variation type<br>Purposeful distressing type<br>Additional information  | No natu<br>No dist          |            | ion, Ligh  | t and env               | ironment conditions may distort the color |
|--|-----------------------------|------------|------------|-------------------------|---|
| Packaging  |                             |            |            |                         |   |
| Units per lot<br>Cbm (m3) / Gross weight (Kg)<br>№ of boxes  | 0,067<br>2                  | /          | 30,3       |                         |   |
| Box 1<br>Description<br>Description box  | 1<br>GREENI<br>TOP          | HILL Coffe | e table 8  | 0x80 met                | tal glass black clear                     |
| Height x Width x Depth (cm)<br>Cbm (m3) / Gross weight (Kg) / Net weight (Kg)  | 7<br>0,046                  | x<br>/     | 81<br>24,5 | x<br>/                  | 81<br>23                                  |
| Box 2<br>Description<br>Description box<br>Height x Width x Depth (cm)<br>Cbm (m3) / Gross weight (Kg) / Net weight (Kg) | 2<br>GREENI<br>FRAME<br>5,5 |            | ·          | ,<br>0x80 met<br>x<br>/ | tal glass black clear<br>44<br>5          |
| Box 3<br>Description<br>Description box<br>Height x Width x Depth (cm)<br>Cbm (m3) / Gross weight (Kg) / Net weight (Kg) |                             | x<br>/     |            | x<br>/                  |   |
| Box 4<br>Description<br>Description box<br>Height x Width x Depth (cm)<br>Cbm (m3) / Gross weight (Kg) / Net weight (Kg) |                             | x<br>/     |            | x<br>/                  |   |
| Box 5<br>Description<br>Description box<br>Height x Width x Depth (cm)<br>Cbm (m3) / Gross weight (Kg) / Net weight (Kg) |                             | x<br>/     |            | x<br>/                  |   |