					ΙΤΑΙ
Descriptions Product code	CC2218PR03				
Product description	Itai cement table, 120 Cement is one of the l refined, urban look. Ti handle any weather co	oiggest design tre his natural mater	ial looks gre	eat all year r	round and can
Origin country	VN				
<b>Dimensions</b> Height x Width x Depth (cm) Product weight (Kg) Top thickness (mm) Leaf sizes	74 cm x 96 Kg 40	120 cm	x	120 cm	
Technical drawings	74 cm	Ø120 c	- Ø42 cm	4 cm	
Features Use (domestic/contract/office)	Domestic+				
Indoor (yes/no)	Yes				

use (domestic/contract/onice)	Domestic+
Indoor (yes/no)	Yes
Alfresco (yes/no)	Yes
Outdoor (yes/no)	Yes
Extendible (yes/no)	No
Adjustable height (yes/no)	No
Foldable (yes/no)	No
Seating capacity	6
Seating capacity fully extended	
Max. load (kg)	40
Top edge type	Under bevel
Scratch and wear resistance (Mohs scale)	
Hardness (Rockwell method)	

Extension mechanism type					
Number of leaves Stored inside (yes/no)					
Adjustable feet (yes/no)	No				
<i>Materials</i> Main material	Cement				
Top material	Cement				
Top finishing					
Leaf material					
Leaf finishing	Compart fiber				
Legs material Legs finishing	Cement fiber				
Feet pad type	N/A				
Assembly					
Unpacking time (min)	5				
Assembly required (yes/no)	Yes				
Difficulty of assembly	Easy				
People required Assembly time (min)	2 5				
Assembly suggestions	Check and classify all fittings before starti	ng the assembly. Assemble on a soft			
,	surface.	,			
Assembly instructions					
Assembly instructions	Kave' Home	ITAI			
	(8)				
	· · · · · · · · · · · · · · · · · · ·	Axt Bxt			
		<b>No</b> (9) (1)			
		Ox4 Dx4 Ex1 M6x35mm			
	4 - 2010k OBLIP Territore 54.1.0-17018277 Pol. Ind. Boac d'en Ouza, C./Tallen, 14. 17413 Bills SPAN i contactigiosenenes con	-ULLÅ ORUP Fanifare Skyldes 6. L. 5. 11/1/02/7 Pol. Ind. Bacc d'en Cyca. C. I. Talera, H. 1240 Eds GPUN / coelsco@kavehore.com			
Care & Warranties					
General warnings	We recommend the use of tablecloth and	coasters to avoid stains. Do not use			
	abrasive products like acetones, bleaches				
	scratch the product surface.	, , , , , , , , , , , , , , , , , , , ,			
Specific use and care instructions	Clean the product with a wet cloth dampe	ened in a mild cleaner and dry			
	immediately. Dust it with a duster.				
Specific use and care instructions for outdoor	Store the furniture in a dry indoor place. I	Store the furniture in a dry indoor place. If you want to leave it outdoors, protect			
it with a waterproof cover in autumn, winter and rainy season.					
Years of guarantee	2				
Made according to	21/2				
FSC certified (yes/no) PEFC certified (yes/no)	N/A N/A				
FLEGT license (yes/no)	N/A				
Variation type	Light and environment conditions may dis	stort the color perception of the product			
Purposeful distressing type	No distressing				

Additional information					
Packaging					
Units per lot Cbm (m3) / Gross weight (Kg) № of boxes	0,71 2	/	120		
Box 1 Description Description box	1 Itai cement table, 120 cm TOP				
Height x Width x Depth (cm) Cbm (m3) / Gross weight (Kg) / Net weight (Kg)	20 0,359	x /	134 75	x /	134 57
Box 2 Description Description box	2 Itai cement table, 120 cm BASE				
Height x Width x Depth (cm) Cbm (m3) / Gross weight (Kg) / Net weight (Kg)	76 0,351	x /	68 45	x /	68 39
Box 3 Description Description box Height x Width x Depth (cm)		x		x	
Cbm (m3) / Gross weight (Kg) / Net weight (Kg)		,		,	
Box 4 Description Description box					
Height x Width x Depth (cm) Cbm (m3) / Gross weight (Kg) / Net weight (Kg)		x /		x /	