

# QUINBY

## Descriptions

Product code	CC1222S12
Product description	Beige Quinby chair
	The seat on the Quinby chair is made out of recyclable beige plastic and is held up
	by a metal structure with the same finish. This is a multi-purpose piece that you
	can use in a wide range of spaces, such as your kitchen, dining room or office
	space
Origin country	CN

#### Dimensions

Dimensions						
Height x Width x Depth (cm)	82 cm	Х	46 cm	x	58 cm	
Product weight (kg)	4,25 Kg					
Seat height (cm)	45					
Seat width (cm)	46					
Seat depth (cm)	43					
Armrest height (cm)						
Armrest width (cm)						
Backrest height (cm)	44					

# Technical drawings



## Features

Use (domestic/contract/office)	Domestic
Indoor (yes/no)	Yes
Alfresco (yes/no)	No
Outdoor (yes/no)	No
Stackable (yes/no)	No
Stacks up to	
Max. load (kg)	150
Adjustable height (yes/no)	No
Adjustable height mechanism description	N/A
Adjustable neight meenanism description	.,,,,

Foldable (yes/no) No Swivel (yes/no) No Reclining (yes/no) No Armrest included (yes/no) No Padded (yes/no) No Footrest included (yes/no) No Fabric durability resistance (Martindale cycles) N/A Water repellent (yes/no) Stain resistant (yes/no) N/A Fire resistant (yes/no) N/A UV resistance level (1-5) Removable chair cover (yes/no) No N/A Removable cover parts description Adjustable feet (yes/no) No **Castors information** N/A Cushion included (yes/no) No Cushion removable cover (yes/no) N/A

#### Materials

Main material Plastic Frame construction Iron

Main finishing Colored Seat material details Polypropylene

Backrest material details Polypropylene

Armrest material details N/A

Fabric type & specifications N/A

Fabric composition Fabric grammage (g/m2) Upholstery fill material

N/A

Foam density (kg/m3)

Legs material Steel

Legs finishing Powder coated painted

Plastic pad Feet pad type Cushion fabric type N/A

Cushion fabric composition Cushion grammage (g/m2)

Cushion fill material N/A

Cushion thickness (cm)

## Assembly

Unpacking time (min) 5 Assembly required (yes/no) Yes Difficulty of assembly Easy People required 1 Assembly time (min)

Assemble on a soft protecting surface. Assembly suggestions

Assembly instructions

Care & Warranties						
General warnings	-	brasive p	roducts	ike aceto	heat. Keep away from direct solar light. Do nes, bleaches, solvents, etc. Sharp elements	
Specific use and care instructions	Clean the immediat	•			dampened in a mild cleaner and dry	
Specific use and care instructions for outdoor	N/A					
Years of guarantee	2					
Made according to FSC certified (yes/no)	EN 12520 N/A	:2015 fo	r househ	old use s	eats	
PEFC certified (yes/no)	N/A					
FLEGT license (yes/no) Variation type	N/A No natural variation, Light and environment conditions may distort the color					
Purposeful distressing type Additional information	No distressing					
Additional information						
Packaging						
Units per lot Cbm (m3) / Gross weight (Kg) Nº of boxes	0,04875	/	5			
Box 1	1					
Description Description box	Beige Qui FULL ITEN		r			
Height x Width x Depth (cm) Cbm (m3) / Gross weight (Kg) / Net weight (Kg)		x /	55 5	x /	50 4,3	
Box 2	0,013		J	′	,,,	
Description						
Description box Height x Width x Depth (cm)	,	x		x		
Cbm (m3) / Gross weight (Kg) / Net weight (Kg)	,	/		/		
Box 3 Description Description box						
Height x Width x Depth (cm)	,	X		X		
Cbm (m3) / Gross weight (Kg) / Net weight (Kg)	1	/		/		
Cbm (m3) / Gross weight (Kg) / Net weight (Kg)	,			/		